

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5	(gap near determination) and impedance and (material adj property or composition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 15:03
S2	35	(gap with determination) and impedance and (material adj property or composition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 15:05
S3	153	(gap with determination) and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 15:29
S4	1	"20020153880".PN.	US-PGPUB	OR	OFF	2005/04/15 17:41
S5	1	"20020153880".PN.	US-PGPUB	OR	OFF	2005/04/15 10:04
S6	1	"6346807".PN.	USPAT; USOCR	OR	OFF	2005/03/30 15:25
S7	1	"5182513".PN.	USPAT; USOCR	OR	OFF	2005/03/30 15:25
S8	1	"6346807".PN.	USPAT; USOCR	OR	OFF	2005/03/30 15:26
S9	1	"4326166".PN.	USPAT; USOCR	OR	OFF	2005/03/30 15:27
S10	3	702/65.ccls. and (gap near determining)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 15:31
S11	19	"702"/\$.ccls. and (gap near determining)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 15:38
S12	74	"324"/\$.ccls. and (gap near determining)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 15:47

S13	21	324/207.16.ccls. and (gap near determining)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 16:04
S14	6	324/207.11.ccls. and (gap near determining)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 16:04
S15	7	324/207.26.ccls. and (gap near determining)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 16:05
S16	7	324/699.ccls. and (gap near determining)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/30 16:05
S17	3	324/716.ccls. and (gap near determining)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 09:23
S21	3964	gap and proximity and (probe or sensor) and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 11:06
S22	589	S21 and eddy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 10:56
S23	563	S22 and frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 10:56

S24	477	gap and (proximity near (probe or sensor)) and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 11:21
S25	146	S24 and eddy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 11:07
S26	43	(gap near (determine or measure)) and (proximity near (probe or sensor)) and impedance and eddy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 13:15
S28	1	"6873149".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 13:57
S29	12	"324"/\$.ccls. and eddy and gap and (proximity near transducer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:26
S30	2	"5371462".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 10:08
S31	31441	(proximity adj sensor or probe) and gap and (material near property or composition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:47
S32	1698	S31 and frequency and impedance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:47

S33	906	S32 and target	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:48
S34	91	S33 and eddy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 14:58
S35	8	gap and impedance and (magnetic near proximity near sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:02
S36	0	gap and impedance and (eddy near proximity near sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:02
S37	0	gap and (eddy near proximity near sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:03
S38	21	gap and (eddy near current near proximity near sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:04
S39	48	gap and (eddy near current near proximity near probe)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/31 15:28
S41	16	(gap with transducer with target) and predetermined and memory and point and (eddy adj current) and (complex adj impedance) and interpolate	US-PGPUB	OR	OFF	2005/04/15 10:05
S42	16	(gap with transducer with target) and predetermined and memory and point and (eddy adj current) and (complex adj impedance) and interpolate	US-PGPUB	OR	ON	2005/04/15 09:30

S43	0	(gap with transducer with target) and predetermined and memory and point and (eddy adj current) and (complex adj impedance) and interpolate and (material with property)	US-PGPUB	OR	ON	2005/04/15 09:14
S44	0	(gap with transducer with target) and predetermined and memory and point and (eddy adj current) and (complex adj impedance) and interpolate and property	US-PGPUB	OR	ON	2005/04/15 09:15
S45	16	(gap with transducer with target) and predetermined and memory and point and (eddy adj current) and (complex adj impedance) and interpolate and characteristic	US-PGPUB	OR	ON	2005/04/15 09:31
S46	16	(gap with transducer with target) and predetermined and memory and point and (eddy adj current) and (complex adj impedance) and interpolate	US-PGPUB	OR	ON	2005/04/15 10:05
S47	431	324/693.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 10:08
S48	48	S47 and gap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 10:08
S49	32	S48 and characteristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 10:08
S51	2	"6850077".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/15 17:41